

## 11 SIZES AVAILABLE




### Conductive Dividable Grid Containers



Protect your electronic components from typical electromagnetic interference (EMI), electrostatic or induced fields with these molded, carbon-filled, copolymer polypropylene dividable grid containers. Surface resistivity is less than  $10^5$  Ohms-per square. The conductive material provides a barrier which these fields cannot penetrate and prevents the build-up of electrostatic charge. Containers, dividers and covers are permanently conductive and are unaffected by washing with normal cleaners. Containers have a load capacity of 100 lb. Dividers available to customize your box into compartments at 1-1/8" intervals and snap covers protect contents from dust or damage. Be sure all bins are properly grounded according to your use.

**NEW**  
SIZES

### Conductive Label Holders



Dividers can be customized for optimal storage (Sold separately)

Available in: ● Black

MODEL NO.	DIMENSIONS H" x W"	FITS BIN MODEL NO.	CTN QTY
<b>LBL2X8CO</b>	2" x 8"	DG91025CO, DG91035CO, DG92035CO, DG93030CO	6
<b>LBL3X5CO</b>	3" x 5"	DG91050CO, DG92050CO, DG92060CO, DG93060CO	6
<b>LBL5X8CO</b>	5" x 8"	DG92080CO, DG93080CO, DG93120CO	6

Available in: ● Black

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	LONG DIVIDER	CTN QTY	SHORT DIVIDER	CTN QTY	COVER	CTN QTY
<b>DG91025CO</b> <b>NEW</b>	10-7/8" x 8-1/4" x 2-1/2"	9-3/16" x 6-9/16" x 2"	20	16 lbs	<b>DL91025CO</b>	6	<b>DS91025CO</b>	6	<b>COV91000CO</b>	10
<b>DG91035CO</b>	10-7/8" x 8-1/4" x 3-1/2"	9-3/16" x 6-9/16" x 3"	20	24 lbs	<b>DL91035CO</b>	6	<b>DS91035CO</b>	6	<b>COV91000CO</b>	10
<b>DG91050CO</b>	10-7/8" x 8-1/4" x 5"	9-3/16" x 6-9/16" x 4-1/2"	20	32 lbs	<b>DL91050CO</b>	6	<b>DS91050CO</b>	6	<b>COV91000CO</b>	10
<b>DG92035CO</b>	16-1/2" x 10-7/8" x 3-1/2"	14-7/8" x 9-1/4" x 3"	12	23 lbs	<b>DL92035CO</b>	6	<b>DS92035CO</b>	6	<b>COV92000CO</b>	4
<b>DG92050CO</b> <b>NEW</b>	16-1/2" x 10-7/8" x 5"	14-7/8" x 9-1/4" x 4-1/2"	12	25 lbs	<b>DL92050CO</b>	6	<b>DS92050CO</b>	6	<b>COV92000CO</b>	4
<b>DG92060CO</b>	16-1/2" x 10-7/8" x 6"	14-7/8" x 9-1/4" x 5-1/2"	8	20 lbs	<b>DL92060CO</b>	6	<b>DS92060CO</b>	6	<b>COV92000CO</b>	4
<b>DG92080CO</b>	16-1/2" x 10-7/8" x 8"	14-7/8" x 9-1/4" x 7-1/2"	8	27 lbs	<b>DL92080CO</b>	6	<b>DS92080CO</b>	6	<b>COV92000CO</b>	4
<b>DG93030CO</b>	22-1/2" x 17-1/2" x 3"	20-5/8" x 15-5/8" x 2-1/2"	6	20 lbs	<b>DL93030CO</b>	6	<b>DS93030CO</b>	6	<b>COV93000CO</b>	3
<b>DG93060CO</b>	22-1/2" x 17-1/2" x 6"	20-5/8" x 15-5/8" x 5-1/2"	3	16 lbs	<b>DL93060CO</b>	6	<b>DS93060CO</b>	6	<b>COV93000CO</b>	3
<b>DG93080CO</b>	22-1/2" x 17-1/2" x 8"	20-5/8" x 15-5/8" x 7-1/2"	3	19 lbs	<b>DL93080CO</b>	6	<b>DS93080CO</b>	6	<b>COV93000CO</b>	3
<b>DG93120CO</b>	22-1/2" x 17-1/2" x 12"	20-5/8" x 15-5/8" x 11-1/2"	3	23 lbs	<b>DL93120CO</b>	6	<b>DS93120CO</b>	6	<b>COV93000CO</b>	3



#### DIVIDERS

Containers can be divided by length and/or width allowing a subdivision down to a 1-1/8" square compartment size. Available in Black.



#### SNAP ON COVERS

Snap on covers protect contents from damage or dust during shipping and storage.



#### LABEL HOLDERS

Fits any size container. Three sizes to choose from. Attach via metal grommets on label holder and bins.



**BC212434M1CO**

## COMPLETE PACKAGES WITH BINS

### Conductive Bin Carts

Offering two heights and four bin quantity designs, these modular carts are the ultimate work-in-process and transport carts. Dividable grids slide easily in and out with their ability to be divided into multiple compartments with long and short dividers, truly any type of storage is possible. Dividable grids are available in Black. **Cart Finish:** Chrome

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
<b>21"W x 24"L x 45"H - Bin Cart with Dividable Grid Containers</b>			
<b>BC212434M1CO</b>	4 DG93060CO	22-1/2" x 17-1/2" x 6"	58 lbs
<b>BC212439M2CO</b>	7 DG93030CO	22-1/2" x 17-1/2" x 3"	79 lbs
<b>21"W x 24"L x 69"H - Bin Cart with Dividable Grid Containers</b>			
<b>BC212469M1CO</b>	7 DG93060CO	22-1/2" x 17-1/2" x 6"	107 lbs
<b>BC212469M2CO</b>	11 DG93030CO	22-1/2" x 17-1/2" x 3"	111 lbs
<b>21"W x 24"L x 45"H - Bin Cart with No Dividable Grid Containers</b>			
<b>BC212439M4CO</b>	No Containers (Includes Slides for 4 Bin Levels)		46 lbs
<b>BC212439M7CO</b>	No Containers (Includes Slides for 7 Bin Levels)		55 lbs
<b>21"W x 24"L x 69"H - Bin Cart with No Dividable Grid Containers</b>			
<b>BC212469MCO</b>	No Containers (Includes Slides for 7 Bin Levels)		63 lbs
<b>BC212469M11CO</b>	No Containers (Includes Slides for 11 Bin Levels)		75 lbs

**Conductive Wire Utility Carts**

Carts consists of 2 u-handles, 4 donut bumpers, 4 conductive swivel casters (2 with brakes), drag chain and 2 or 3 wire shelves.


MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>2 Wire Shelf Mobile Utility Carts</b>		
<b>WRC-1836-2CO</b>	18" x 36" x 37-1/2"	30 lbs
<b>WRC-1842-2CO</b>	18" x 42" x 37-1/2"	32 lbs
<b>WRC-1848-2CO</b>	18" x 48" x 37-1/2"	37 lbs
<b>WRC-2436-2CO</b>	24" x 36" x 37-1/2"	36 lbs
<b>WRC-2442-2CO</b>	24" x 42" x 37-1/2"	40 lbs
<b>WRC-2448-2CO</b>	24" x 48" x 37-1/2"	44 lbs
<b>3 Wire Shelf Mobile Utility Carts</b>		
<b>WRC-1836-3CO</b>	18" x 36" x 37-1/2"	37 lbs
<b>WRC-1842-3CO</b>	18" x 42" x 37-1/2"	42 lbs
<b>WRC-1848-3CO</b>	18" x 48" x 37-1/2"	48 lbs
<b>WRC-2436-3CO</b>	24" x 36" x 37-1/2"	49 lbs
<b>WRC-2442-3CO</b>	24" x 42" x 37-1/2"	55 lbs
<b>WRC-2448-3CO</b>	24" x 48" x 37-1/2"	60 lbs

**ESD Modular Trays**

18" x 26" and 20" x 26" trays are ESD and comply with ANSI/ESD standards for the use in PC board assembly and handling. All trays are manufactured of fiberglass reinforced thermostet material, allowing up to 200 lb. weight capacity when evenly distributed. Quantum's modular trays will withstand temperatures of -40°F to +350°F. Trays are resistant to abrasion and chemicals. Trays are permanently conductive, properties are unaffected by washing in steam or water.

Available in: ● Black

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>1826ESD</b>	18" x 26" x 1-1/8"	4 lbs
<b>2026ESD</b>	20" x 26" x 1-1/2"	5 lbs



**200 lb.  
LOAD CAPACITY  
PER TRAY**

**Conductive Modular Tray Carts**

Tray carts are offered in half size and full size units, designed to handle work in process. ESD trays can be used on tray cart for conductive applications with the addition of aluminum split sleeves (**ESD-SS**) or conductive plastic split sleeves (**WR-SSCO**) and a drag chain (**ESD-DC**). Optional Tray Stop prevents trays from falling out. **Cart finish:** Chrome

MODEL NO.	DIMENSIONS W" x L" x H"	CAPACITY	SHIP WGT	TRAY STOP MODEL NO.
<b>39"H - Side Load Tray Cart</b>				
<b>TC-19CO</b>	18" x 30" x 39"	19 Trays	45 lbs	<b>TS32C</b>
<b>69"H - Side Load Tray Carts</b>				
<b>TC-39CO</b>	18" x 30" x 69"	39 Trays	74 lbs	<b>TS62C</b>
<b>TC-31CO</b>	21" x 30" x 69"	31 Trays	68 lbs	<b>TS62C</b>
<b>69"H - End Load Tray Carts</b>				
<b>TC-EL38CO</b>	21-3/4" x 27" x 69"	38 Trays	74 lbs	<b>TS62C</b>

Trays are sold separately

**CONVERT STANDARD  
WIRE SHELVING INTO  
CONDUCTIVE SHELVING  
WITH THESE ACCESSORIES  
THAT ARE INCLUDED WITH  
THESE PACKAGES**



### Portable Computer/LAN Work Center

Portable Computer Center and mini LAN (Local Area Network) Work Center offers flexibility in any operation. The modular characteristics allow the unit to be adaptable to all your equipment requirements such as servers, PCs, printers, keyboards, and monitors. This system features adjustable shelves on 1" increments, quick field assembly without the use of tools, excellent strength, durable chrome finish and easy to roll locking 3" polyurethane casters. **Finish:** Chrome

Unit consists of:

- 4 - 34" posts
- 3 - 24" x 30" wire shelves
- 1 - keyboard tray
- 1 - document holder basket
- 4 - 3" poly stem casters



**M2430CLAN**

(computer, monitor, keyboard, printer, folder not included)

### Reel Shelving Units



Quantum Reel Shelving offers a safe and efficient method of transporting and storing standard size component reels. New reel shelves are chrome plated and can be used in conjunction with same size standard flat wire shelves. Units are available with conductive accessories providing a static safe storage system to address reel handling and providing stationary or mobile complete storage systems for PCB manufacturers. **Finish:** Chrome



**NEW**

**WRC-R264C**

(see pg. 111 for additional sizes)

**400 lb.**  
LOAD CAPACITY  
PER SHELF



**NEW**

**800 lb.**  
LOAD CAPACITY  
PER SHELF



#### MOBILIZE YOUR SHELVING

##### DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

##### WR-00CO (Mobile Kit)\*

Set of four swivel ESD/Conductive 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity.

\*Mobile kits recommended only for shelves 18" and deeper.

### Conductive Accessories

#### WR-SSCO

Conductive Plastic Split Sleeves



**ESD-DC**  
Drag Chain

### Stencil Unit



Quantum's new stencil storage racks efficiently and safely store and transport dry stencils. Adjustable shelves and dividers accommodate all frames from 20" to 29" deep. Optional performance cushion ride conductive casters allow built in ESD/conductive protection. Optional side panels available. **Finish:** Chrome



**NEW**

**WR74-2436C-22D**

24"W x 36"L x 74"H

3 shelves and 22 DIV24 dividers

**Work Station Carts - The ideal work-in-process cart**

The sloped shelves allow for high visibility, productive rotations and gravity feed. **Cart Finish:** Chrome

Each unit consists of:

- 2 - 34" longer back posts
- 2 - 29" shorter front posts
- 1 - flat wire shelf
- 1 - slanted wire shelf
- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

MOBILE MODEL NO.	SHELF DIMENSIONS W" x L"	NO. OF SHELVES	SHIP WGT
<b>40"H - Work Station Carts</b>			
M1836SL34C	18" x 36"	2	38 lbs
M1848SL34C	18" x 48"	2	48 lbs
M2436SL34C	24" x 36"	2	44 lbs
M2448SL34C	24" x 48"	2	50 lbs



**M1836SL34C**  
Shown with Bins  
(Bins are sold separately)



**MWRS-5-92060**



**WRSL6-74-1848-260**

			STATIONARY		MOBILE	
NO. OF BINS	BIN DIMENSIONS L" x W" x H"	NO. OF SHELVES	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>18"W x 36"L x 63"H - Wire Shelving System with 2 Flat Shelves and 3 Slanted Shelves Includes Dividable Grid Containers Available in Blue, Gray, Red and Clear</b>						
12 DG92035	16-1/2" x 10-7/8" x 3-1/2"	5	WRS-5-92035	89 lbs	MWRS-5-92035	100 lbs
12 DG92060	16-1/2" x 10-7/8" x 6"	5	WRS-5-92060	96 lbs	MWRS-5-92060	107 lbs
12 DG92080	16-1/2" x 10-7/8" x 8"	5	WRS-5-92080	107 lbs	MWRS-5-92080	118 lbs
<b>18"W x 36"L x 74"H - Wire Shelving System with 2 Flat Shelves and 5 Slanted Shelves Includes Economy Shelf Bins Available in Blue, Green, Ivory, Red, Yellow, Black and Clear</b>						
48 QSB103	17-7/8" x 4-1/8" x 4"	7	WRS-7-103	118 lbs	MWRS-7-103	129 lbs
30 QSB104	17-7/8" x 6-5/8" x 4"	7	WRS-7-104	110 lbs	MWRS-7-104	121 lbs
24 QSB108	17-7/8" x 8-3/8" x 4"	7	WRS-7-108	113 lbs	MWRS-7-108	124 lbs
18 QSB110	17-7/8" x 11-1/8" x 4"	7	WRS-7-110	111 lbs	MWRS-7-110	122 lbs
<b>18"W x 36"L x 74"H - Wire Shelving System with 2 Flat Shelves and 5 Slanted Shelves Includes Euro Drawers Available in Blue, Red, Yellow and Gray</b>						
48 QED604	17-5/8" x 3-3/4" x 4-5/8"	7	WRS-7-604	144 lbs	MWRS-7-604	155 lbs
30 QED602	17-5/8" x 5-9/16" x 4-5/8"	7	WRS-7-602	126 lbs	MWRS-7-602	137 lbs
18 QED606	17-5/8" x 8-3/8" x 4-5/8"	7	WRS-7-606	132 lbs	MWRS-7-606	143 lbs
<b>18"W x 48"L x 74"H - Wire Shelving System with 2 Flat Shelves and 4 Slanted Shelves Includes Ultra Bins Available in Blue, Green, Ivory, Red, Yellow, Black and Clear</b>						
16 QUS260	18" x 11" x 10"	6	WRSL6-74-1848-260	168 lbs	WRCSL6-74-1848-260	179 lbs
<b>24"W x 48"L x 74"H - Wire Shelving System with 2 Flat Shelves and 4 Slanted Shelves Includes Hulk 24" Containers Available in Blue, Red, Yellow and Clear</b>						
16 QUS953	23-7/8" x 11" x 10"	6	WRSL6-74-2448-953	184 lbs	WRCSL6-74-2448-953	195 lbs

**Slanted Shelf Carts - Stationary and Mobile**

Stationary and Mobile Slanted Shelf units create a unique combination of modular components to enhance supply distribution applications. The sloped shelves allow for high visibility, productive rotations and gravity feed. **(Note: Build a system with your bin requirements or consult a product specialist for appropriate components)**

Each unit consists of:

- 4 - 63" posts
- 2 - flat wire shelves
- 3 - slanted wire shelves

Each mobile unit consists of:

- 4 - 63" posts
- 2 - flat wire shelves
- 3 - slanted wire shelves
- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

**63"H - SLANTED SHELF CARTS**

		STATIONARY		MOBILE	
SHELF DIMENSIONS W" x L"	NO. OF SHELVES	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
18" x 36"	5	1836SL6C	66 lbs	M1836SL6C	76 lbs
18" x 48"	5	1848SL6C	86 lbs	M1848SL6C	96 lbs
24" x 36"	5	2436SL6C	81 lbs	M2436SL6C	91 lbs
24" x 48"	5	2448SL6C	96 lbs	M2448SL6C	106 lbs

**COMPLETE PACKAGES WITH BINS**


**MWRS-7-104**

**1,200 lb.  
MOBILE LOAD CAPACITY**

**Slanted Shelf with Bin Holders Combo Carts**

A systems cart that offers hanging bins, slanted bins and bins on a flat surface all in one unit. Carts offer the ability to store pre-packed items or sloped storage for dispensing small parts. This combination creates a highly customized exchange and storage system. **Cart Finish:** Chrome

Bins available in: ● Blue ● Green ● Ivory ● Red ● Yellow  
● Black ● Clear (One color per unit)

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
<b>18"W x 36"L x 80"H - Slanted Wire Shelf Cart with Bin Holders and Bins</b>				
WRCSL5-74-1836-104220	5	20 QSB104 24 QUS220	17-7/8" x 6-5/8" x 4" 7-3/8" x 4-1/8" x 3"	105 lbs
WRCSL5-74-1836-104230	5	20 QSB104 18 QUS230	17-7/8" x 6-5/8" x 4" 10-7/8" x 5-1/2" x 5"	112 lbs
<b>18"W x 48"L x 80"H - Slanted Wire Shelf Cart with Bin Holders and Bins</b>				
WRCSL5-74-1848-104220	5	24 QSB104 30 QUS220	17-7/8" x 6-5/8" x 4" 7-3/8" x 4-1/8" x 3"	128 lbs

**COMPLETE  
PACKAGES  
WITH BINS**



WRCSL5-74-1836-104230

**Slanted Shelf Carts - Open or Enclosed**

Units are designed for quick and easy accessibility for pre-packed items. The wire end panel maintains product while the slanted shelf allows for gravity feed. Available with or without side enclosures. **Cart Finish:** Chrome

OPEN		ENCLOSED	
MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>5 Shelf - Slanted Cart 2 Flat Shelves and 3 Slanted Shelves</b>			
WRCSL5-63-1836	76 lbs	WRCSL5-63-1836EP	88 lbs
WRCSL5-63-1848	96 lbs	WRCSL5-63-1848EP	108 lbs
WRCSL5-63-2436	91 lbs	WRCSL5-63-2436EP	105 lbs
WRCSL5-63-2448	106 lbs	WRCSL5-63-2448EP	120 lbs



WRCSL5-63-1836EP

**QUANTUM  
HAS A NEW ANGLE  
FOR STORAGE**



WRCSL5-63-1836-104

**1,200 lb.  
MOBILE LOAD  
CAPACITY**

**Dividers, Bin Cups and  
Clear Label Holders**

See pg. 48

Bins available in: ● Blue ● Green ● Ivory ● Red ● Yellow ● Black ● Clear (One color per unit)

		OPEN		ENCLOSED	
NO. OF BINS	BIN DIMENSIONS L" x W" x H"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>5 Shelf - Slanted Shelf Cart with Bins 2 Flat Shelves and 3 Slanted Shelves</b>					
20 QSB104	17-7/8" x 6-5/8" x 4"	WRCSL5-63-1836-104	94 lbs	WRCSL5-63-1836EP-104	103 lbs
28 QSB104	17-7/8" x 6-5/8" x 4"	WRCSL5-63-1848-104	114 lbs	WRCSL5-63-1848EP-104	123 lbs
20 QSB106	23-5/8" x 6-5/8" x 4"	WRCSL5-63-2436-106	115 lbs	WRCSL5-63-2436EP-106	131 lbs
28 QSB106	23-5/8" x 6-5/8" x 4"	WRCSL5-63-2448-106	136 lbs	WRCSL5-63-2448EP-106	152 lbs

**Slanted Shelf with Bin Holders Combo Carts**

A systems cart that offers hanging bins, slanted bins and bins on a flat surface all in one unit. Carts offer the ability to store pre-packed items or sloped storage for dispensing small parts. This combination creates a highly customized exchange and storage system. **Cart Finish:** Chrome

Bins available in: ● Blue ● Green ● Ivory ● Red ● Yellow  
● Black ● Clear (One color per unit)

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
<b>18"W x 36"L x 80"H - Slanted Wire Shelf Cart with Bin Holders and Bins</b>				
WRCSL5-74-1836-104220	5	20 QSB104 24 QUS220	17-7/8" x 6-5/8" x 4" 7-3/8" x 4-1/8" x 3"	105 lbs
WRCSL5-74-1836-104230	5	20 QSB104 18 QUS230	17-7/8" x 6-5/8" x 4" 10-7/8" x 5-1/2" x 5"	112 lbs
<b>18"W x 48"L x 80"H - Slanted Wire Shelf Cart with Bin Holders and Bins</b>				
WRCSL5-74-1848-104220	5	24 QSB104 30 QUS220	17-7/8" x 6-5/8" x 4" 7-3/8" x 4-1/8" x 3"	128 lbs

**COMPLETE  
PACKAGES  
WITH BINS**



WRCSL5-74-1836-104230

**Slanted Shelf Carts - Open or Enclosed**

Units are designed for quick and easy accessibility for pre-packed items. The wire end panel maintains product while the slanted shelf allows for gravity feed. Available with or without side enclosures. **Cart Finish:** Chrome

OPEN		ENCLOSED	
MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>5 Shelf - Slanted Cart 2 Flat Shelves and 3 Slanted Shelves</b>			
WRCSL5-63-1836	76 lbs	WRCSL5-63-1836EP	88 lbs
WRCSL5-63-1848	96 lbs	WRCSL5-63-1848EP	108 lbs
WRCSL5-63-2436	91 lbs	WRCSL5-63-2436EP	105 lbs
WRCSL5-63-2448	106 lbs	WRCSL5-63-2448EP	120 lbs



WRCSL5-63-1836EP

**QUANTUM  
HAS A NEW ANGLE  
FOR STORAGE**



WRCSL5-63-1836-104

**1,200 lb.  
MOBILE LOAD  
CAPACITY**

**Dividers, Bin Cups and  
Clear Label Holders**

See pg. 48

Bins available in: ● Blue ● Green ● Ivory ● Red ● Yellow ● Black ● Clear (One color per unit)

		OPEN		ENCLOSED	
NO. OF BINS	BIN DIMENSIONS L" x W" x H"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>5 Shelf - Slanted Shelf Cart with Bins 2 Flat Shelves and 3 Slanted Shelves</b>					
20 QSB104	17-7/8" x 6-5/8" x 4"	WRCSL5-63-1836-104	94 lbs	WRCSL5-63-1836EP-104	103 lbs
28 QSB104	17-7/8" x 6-5/8" x 4"	WRCSL5-63-1848-104	114 lbs	WRCSL5-63-1848EP-104	123 lbs
20 QSB106	23-5/8" x 6-5/8" x 4"	WRCSL5-63-2436-106	115 lbs	WRCSL5-63-2436EP-106	131 lbs
28 QSB106	23-5/8" x 6-5/8" x 4"	WRCSL5-63-2448-106	136 lbs	WRCSL5-63-2448EP-106	152 lbs

## Bin Cart Systems

Bin carts can be used for transporting and holding product. A modular drawer system allows for storage of smaller specialty components while the open shelf design maximizes the storage area. The option of cart covers [pg. 136](#), enclosure panels [pg. 146](#), ledges and dividers [pg. 147](#) add to the flexibility of the unit. **Cart Finish:** Chrome

Bins available in: ● Blue ● Red ● Gray ● Clear (One color per unit)

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
<b>24"W x 36"L x 69"H - Bin Cart with Dividable Grids</b>			
WRC5-63-2436-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	113 lbs
<b>24"W x 48"L x 69"H - Bin Cart with Dividable Grids</b>			
WRC5-63-2448-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	128 lbs
<b>24"W x 60"L x 69"H - Bin Cart with Dividable Grids</b>			
WRC5-63-2460-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	153 lbs

## COMPLETE PACKAGES WITH BINS



**CLEAR VIEW**  
AVAILABLE WITH BINS

### WRC5-63-2436-93060

Each unit consists of:  
 4 - 63" posts  
 5 - wire shelves  
 4 - DS18-24 bin slides  
 4 - 5" swivel thermoplastic resin casters, 2 with brake  
 4 - donut bumpers  
 4 - DG93060 bins  
 (Blue, Red, Gray or Clear)



**1,200 lb.**  
MOBILE LOAD CAPACITY

**ALL MOBILE UNITS INCLUDE FOUR 5" x 1-1/4" SWIVEL CASTERS, 2 WITH BRAKES**



### DIVIDERS

Containers can be divided by length and/or width allowing a subdivision down to a 1-1/8" square compartment size. See [pg. 65](#)



### CLEAR ACRYLIC INLAYS

Keep stored items visible while protecting against airborne dust and other contaminants. Cover lays inside on rim of container. See [pg. 65](#)

## Bin Carts

Offering two heights and four bin quantity designs, these modular carts are the ultimate work-in-process and transport carts. Dividable grids slide easily in and out and with their ability to be divided into multiple compartments with long and short dividers, truly any type of storage is possible, see [pg. 65](#) for dividers and label holders. **Cart Finish:** Chrome

Bins available in: ● Blue ● Red ● Gray ● Clear (One color per unit)

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
<b>21"W x 24"L x 45"H - Bin Cart with Dividable Grid Containers</b>			
BC212434M1	4 DG93060	22-1/2" x 17-1/2" x 6"	58 lbs
BC212439M2	7 DG93030	22-1/2" x 17-1/2" x 3"	79 lbs
<b>21"W x 24"L x 69"H - Bin Cart with Dividable Grid Containers</b>			
BC212469M1	7 DG93060	22-1/2" x 17-1/2" x 6"	107 lbs
BC212469M2	11 DG93030	22-1/2" x 17-1/2" x 3"	111 lbs
<b>21"W x 24"L x 45"H - Bin Cart with No Dividable Grid Containers</b>			
BC212439M4	No Containers (includes slides for 4 bin levels)		46 lbs
BC212439M7	No Containers (includes slides for 7 bin levels)		55 lbs
<b>21"W x 24"L x 69"H - Bin Cart with No Dividable Grid Containers</b>			
BC212469M	No Containers (includes slides for 7 bin levels)		63 lbs
BC212469M11	No Containers (includes slides for 11 bin levels)		75 lbs
<b>One Pair - 24" Wire Bin Slides</b>			
WR-S24W	-	-	3 lbs



BC212434M1



BC212469M1



**CLEAR VIEWS**  
AVAILABLE



BC214069M1D

### Double & Triple Bay Bin Carts

Offering double or triple bays and four bin quantity designs, these modular carts are the ultimate work-in-process and transport carts. Dividable grids slide easily in and out and with their ability to be divided into multiple compartments with long and short dividers, truly any type of storage is possible, see **pg. 65** for dividers and label holders. Bins can be covered by using our clear acrylic inlays, see below. **Cart Finish:** Chrome

**1,200 lb.**  
**MOBILE LOAD**  
**CAPACITY**

### Double Bay Bin Carts

Bins available in: ● Blue ● Red ● Gray ● Clear (One color per unit)

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
<b>24"W x 40"L x 69"H - Bin Cart with Dividable Grid Containers</b>			
BC214069M1D	14 DG93060	22-1/2" x 17-1/2" x 6"	163 lbs
BC214069M2D	22 DG93030	22-1/2" x 17-1/2" x 3"	164 lbs
<b>24"W x 40"L x 69"H - Bin Cart with No Dividable Grid Containers</b>			
BC214069M14D	No Containers (includes slides for 14 bin levels)		75 lbs
BC214069M22D	No Containers (includes slides for 22 bin levels)		91 lbs
<b>One Pair - 24" Wire Single Bin Slides</b>			
WR-S24W	-	-	3 lbs
<b>One - 24" Wire Double Bin Slide</b>			
WR-D24W	-	-	2 lbs

## COMPLETE PACKAGES WITH BINS



### DIVIDERS

Containers can be divided by length and/or width allowing a subdivision down to a 1-1/8" square compartment size. See **pg. 65**



### CLEAR ACRYLIC INLAYS

Keep stored items visible while protecting against airborne dust and other contaminants. Cover lays inside on rim of container. See **pg. 65**

**1,200 lb.**  
**MOBILE LOAD**  
**CAPACITY**

### Triple Bay Bin Carts

Bins available in: ● Blue ● Red ● Gray ● Clear (One color per unit)

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
<b>24"W x 60"L x 69"H - Bin Cart with Dividable Grid Containers</b>			
BC216069M1T	21 DG93060	22-1/2" x 17-1/2" x 6"	233 lbs
BC216069M2T	33 DG93030	22-1/2" x 17-1/2" x 3"	234 lbs
<b>24"W x 60"L x 69"H - Bin Cart with No Dividable Grid Containers</b>			
BC216069M21T	No Containers (includes slides for 21 bin levels)		100 lbs
BC216069M33T	No Containers (includes slides for 33 bin levels)		124 lbs
<b>One Pair - 24" Wire Single Bin Slides</b>			
WR-S24W	-	-	3 lbs
<b>One - 24" Wire Double Bin Slide</b>			
WR-D24W	-	-	2 lbs



BC216069M2T



**WRC-1836-2**  
Chrome Wire

### Cylinder Transport/ Inhalation Therapy Cart

Mobile unit can transport up to 12 of the D and/or E cylinders. Protective vinyl coated wires separate and protect cylinders. Unit consists of two u-handles, 4 donut bumpers, 4 conductive swivel casters (2 with brakes), 1 wire shelf and 2 frames with coated wire grid shelf.

**Wire Finish:** Chrome

MODEL NO.	SHIP WGT
Mobile Cylinder Cart 18"W x 24"L x 37-1/2"H <b>WRC-IT1824</b>	45 lbs



**WRC-IT1824**  
(Cylinders not included)

**1,200 lb.**  
**MOBILE LOAD CAPACITY**



**WRC-1836-2CG**  
Chrome Wire and Solid Galvanized



**WRSC-1836-3SS**  
Solid Stainless Steel



**WRC-1836BK-3**  
Black Epoxy Wire

### Wire Utility Carts

## UTILITY CARTS IN ANY STYLE, FINISH, OR CONFIGURATION

Give versatility to any operation: food service, hospitals and maintenance. Carts consists of 2 u-handles, 4 donut bumpers, 4 swivel casters (2 with brakes) and wire or solid shelf combinations.

DIMENSIONS W" x L" x H"	WIRE SHELF						WIRE & SOLID SHELF			SOLID SHELF		
	CHROME MODEL NO.	STAINLESS MODEL NO.	PROFORM GREEN EPOXY MODEL NO.	GRAY EPOXY MODEL NO.	BLACK EPOXY MODEL NO.	SHIP WGT	CHROME MODEL NO.	STAINLESS MODEL NO.	SHIP WGT	GALVANIZED MODEL NO.	STAINLESS MODEL NO.	SHIP WGT
	<b>2 Wire Shelf Mobile Utility Cart</b>						<b>1 Wire and 1 Solid Shelf Mobile Utility Cart</b>			<b>2 Solid Shelf Mobile Utility Cart</b>		
18" x 36" x 37-1/2"	<b>WRC-1836-2</b>	<b>WRSC-1836-2</b>	<b>WRC-1836P-2</b>	<b>WRC-1836GY-2</b>	<b>WRC-1836BK-2</b>	30 lbs	<b>WRC-1836-2CG</b>	<b>WRSC-1836SS-2S</b>	37 lbs	<b>WRC-1836-2G</b>	<b>WRSC-1836-2SS</b>	44 lbs
18" x 42" x 37-1/2"	<b>WRC-1842-2</b>	<b>WRSC-1842-2</b>	<b>WRC-1842P-2</b>	<b>WRC-1842GY-2</b>	<b>WRC-1842BK-2</b>	32 lbs	<b>WRC-1842-2CG</b>	<b>WRSC-1842SS-2S</b>	41 lbs	<b>WRC-1842-2G</b>	<b>WRSC-1842-2SS</b>	50 lbs
18" x 48" x 37-1/2"	<b>WRC-1848-2</b>	<b>WRSC-1848-2</b>	<b>WRC-1848P-2</b>	<b>WRC-1848GY-2</b>	<b>WRC-1848BK-2</b>	37 lbs	<b>WRC-1848-2CG</b>	<b>WRSC-1848SS-2S</b>	45 lbs	<b>WRC-1848-2G</b>	<b>WRSC-1848-2SS</b>	56 lbs
24" x 36" x 37-1/2"	<b>WRC-2436-2</b>	<b>WRSC-2436-2</b>	<b>WRC-2436P-2</b>	<b>WRC-2436GY-2</b>	<b>WRC-2436BK-2</b>	36 lbs	<b>WRC-2436-2CG</b>	<b>WRSC-2436SS-2S</b>	42 lbs	<b>WRC-2436-2G</b>	<b>WRSC-2436-2SS</b>	48 lbs
24" x 42" x 37-1/2"	<b>WRC-2442-2</b>	<b>WRSC-2442-2</b>	<b>WRC-2442P-2</b>	<b>WRC-2442GY-2</b>	<b>WRC-2442BK-2</b>	40 lbs	<b>WRC-2442-2CG</b>	<b>WRSC-2442SS-2S</b>	47 lbs	<b>WRC-2442-2G</b>	<b>WRSC-2442-2SS</b>	54 lbs
24" x 48" x 37-1/2"	<b>WRC-2448-2</b>	<b>WRSC-2448-2</b>	<b>WRC-2448P-2</b>	<b>WRC-2448GY-2</b>	<b>WRC-2448BK-2</b>	44 lbs	<b>WRC-2448-2CG</b>	<b>WRSC-2448SS-2S</b>	52 lbs	<b>WRC-2448-2G</b>	<b>WRSC-2448-2SS</b>	60 lbs
	<b>3 Wire Shelf Mobile Utility Cart</b>						<b>2 Wire and 1 Solid Shelf Mobile Utility Cart</b>			<b>3 Solid Shelf Mobile Utility Cart</b>		
18" x 36" x 37-1/2"	<b>WRC-1836-3</b>	<b>WRSC-1836-3</b>	<b>WRC-1836P-3</b>	<b>WRC-1836GY-3</b>	<b>WRC-1836BK-3</b>	37 lbs	<b>WRC-1836-3CG</b>	<b>WRSC-1836SS-3S</b>	46 lbs	<b>WRC-1836-3G</b>	<b>WRSC-1836-3SS</b>	60 lbs
18" x 42" x 37-1/2"	<b>WRC-1842-3</b>	<b>WRSC-1842-3</b>	<b>WRC-1842P-3</b>	<b>WRC-1842GY-3</b>	<b>WRC-1842BK-3</b>	42 lbs	<b>WRC-1842-3CG</b>	<b>WRSC-1842SS-3S</b>	49 lbs	<b>WRC-1842-3G</b>	<b>WRSC-1842-3SS</b>	68 lbs
18" x 48" x 37-1/2"	<b>WRC-1848-3</b>	<b>WRSC-1848-3</b>	<b>WRC-1848P-3</b>	<b>WRC-1848GY-3</b>	<b>WRC-1848BK-3</b>	48 lbs	<b>WRC-1848-3CG</b>	<b>WRSC-1848SS-3S</b>	52 lbs	<b>WRC-1848-3G</b>	<b>WRSC-1848-3SS</b>	76 lbs
24" x 36" x 37-1/2"	<b>WRC-2436-3</b>	<b>WRSC-2436-3</b>	<b>WRC-2436P-3</b>	<b>WRC-2436GY-3</b>	<b>WRC-2436BK-3</b>	49 lbs	<b>WRC-2436-3CG</b>	<b>WRSC-2436SS-3S</b>	55 lbs	<b>WRC-2436-3G</b>	<b>WRSC-2436-3SS</b>	67 lbs
24" x 42" x 37-1/2"	<b>WRC-2442-3</b>	<b>WRSC-2442-3</b>	<b>WRC-2442P-3</b>	<b>WRC-2442GY-3</b>	<b>WRC-2442BK-3</b>	55 lbs	<b>WRC-2442-3CG</b>	<b>WRSC-2442SS-3S</b>	62 lbs	<b>WRC-2442-3G</b>	<b>WRSC-2442-3SS</b>	76 lbs
24" x 48" x 37-1/2"	<b>WRC-2448-3</b>	<b>WRSC-2448-3</b>	<b>WRC-2448P-3</b>	<b>WRC-2448GY-3</b>	<b>WRC-2448BK-3</b>	60 lbs	<b>WRC-2448-3CG</b>	<b>WRSC-2448SS-3S</b>	68 lbs	<b>WRC-2448-3G</b>	<b>WRSC-2448-3SS</b>	84 lbs



## Modular Trays



Heavy-duty 18" x 26" white trays are NSF approved and can be used in any application. Perimeter ends are reinforced for additional strength. 20" x 26" size offers a deep stacking tray. Both tray sizes are available in ESD material complying to ANSI/ESD standards for the use in PC board assembly and handling. All trays are manufactured from fiberglass reinforced thermoset material, allowing up to 200 lb. weight capacity when evenly distributed. Quantum's modular trays will withstand temperatures of -40°F to +350°F. 18" x 26" Trays available in White and ESD, 20" x 26" Trays are available in Gray, White and ESD.

Available in: ● Gray ○ White ● Black (ESD)

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>18" x 26" - Trays</b>		
1826TR	18" x 26" x 1-1/8" White Tray	4 lbs
1826ESD	18" x 26" x 1-1/8" Black ESD Tray	4 lbs
<b>20" x 26" - Stackable Trays</b>		
2026TRGY	20" x 26" x 1-1/2" Gray Tray	5 lbs
2026TRWT	20" x 26" x 1-1/2" White Tray	5 lbs
2026ESD	20" x 26" x 1-1/2" Black ESD Tray	5 lbs



1826TR



1826ESD

2026TRGY  
Stackable Tray

## Tray Slides



Efficiently utilize space between shelves using standard trays and/or bins.

- Available in 18" and 24" depths, overall height 23"
- Accommodates up to 10 trays

MODEL NO.	DESCRIPTION	SHIP WGT
<b>Tray Slide</b>		
TS18C	18" Tray Slide Set	10 lbs
TS24C	24" Tray Slide Set	11 lbs



## Modular Tray Carts

200 lb.  
LOAD CAPACITY PER TRAY

Tray Carts are offered in half size and full size units, designed to handle work in process. ESD trays can be used on tray cart for conductive applications with the addition of conductive plastic split sleeves (WR-SSCO) and a drag chain (ESD-DC). Optional Tray Stop prevents trays from falling out. **Cart Finish:** Chrome

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP NO. OF TRAY WGT	OF TRAYS	TRAY STOP MODEL NO.
<b>39"H - Side Load Tray Cart</b>				
TC-19	18" x 30" x 39"	45 lbs	19	1826ESD 1826TR TS32C
<b>69"H - Side Load Tray Carts</b>				
TC-39	18" x 30" x 69"	74 lbs	39	1826ESD 1826TR TS62C
TC-31	21" x 30" x 69"	68 lbs	31	2026ESD 2026TR TS62C
<b>69"H - End Load Tray Cart</b>				
TC-EL38	21-3/4" x 27" x 69"	74 lbs	38	1826ESD 1826TR TS62C

Trays are sold separately



## WR-00CO

## Conductive Casters

- 4 swivel
- 2 brakes
- 2 non-brakes

ESD-DC  
Drag ChainWR-SSCO  
Plastic Conductive Split Sleeve

## Conductive Options

TC-19 + 1826TR  
(Trays sold separately)TC-EL38 + 1826TR  
End Load Cart  
(Trays sold separately)TC-39 + 1826ESD  
Side Load Cart

Tray Stops can be used on back as shown here or one in the back and one in the front. (Trays sold separately)

TS62C  
Tray Stop  
(Optional)

Cart Covers

Protect against pilferage, airborne dust, water, and other contaminants. Velcro and zipper flap are available in clear-vinyl and blue and white denier nylon fabric. Clear vinyl is 10 gauge. Blue and white nylon fabric is 400 Denier. Specify zipper or velcro for closure.

CART COVERS OPTIONS AVAILABLE

- Custom sizes
- Hand openings
- Handle holes/slits
- Bottom tie tapes (*attach to posts*)
- Extra velcro strips
- Double flap
- Clear front flap
- Metal grommets
- 9" x 12" pocket/document holder
- Custom logos

TO ORDER:

1. Choose size

2. Select color:

Clear Vinyl add suffix CV

Blue Nylon add suffix BN

White Nylon add suffix WN

3. Choose Zipper or Velcro

COVERS PROTECT AGAINST PILFERAGE, AIRBORNE DUST, MOISTURE AND OTHER CONTAMINANTS

CUSTOM SIZES AND ADDITIONAL COLORS ALONG WITH ESD/CONDUCTIVE MATERIAL AVAILABLE

call for details



CLEAR VINYL



BLUE NYLON



WHITE NYLON

63"H - CART COVER				74"H - CART COVER			
DIMENSIONS W" x L" x H"	SHIP WGT	400 DENIER MODEL NO.	CLEAR VINYL MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	400 DENIER MODEL NO.	CLEAR VINYL MODEL NO.
18" x 36" x 63"	3 lbs	CC183663	CC183663CV	18" x 36" x 74"	4 lbs	CC183674	CC183674CV
18" x 48" x 63"	4 lbs	CC184863	CC184863CV	18" x 48" x 74"	5 lbs	CC184874	CC184874CV
18" x 60" x 63"	5 lbs	CC186063	CC186063CV	18" x 60" x 74"	6 lbs	CC186074	CC186074CV
18" x 72" x 63"	6 lbs	CC187263	CC187263CV	18" x 72" x 74"	7 lbs	CC187274	CC187274CV
24" x 36" x 63"	3 lbs	CC243663	CC243663CV	24" x 36" x 74"	4 lbs	CC243674	CC243674CV
24" x 48" x 63"	4 lbs	CC244863	CC244863CV	24" x 48" x 74"	5 lbs	CC244874	CC244874CV
24" x 60" x 63"	5 lbs	CC246063	CC246063CV	24" x 60" x 74"	6 lbs	CC246074	CC246074CV
24" x 72" x 63"	6 lbs	CC247263	CC247263CV	24" x 72" x 74"	7 lbs	CC247274	CC247274CV

### Stem Caster Carts

#### 4 or 5 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility and flexibility to any operation, creating a transport system.

- Supply and distribution
- Stock rotation
- Laundry
- Staging

Each unit consists of:

- 4 - posts
- 4 or 5 - wire shelves
- 4 - donut bumpers
- 4 - 5" thermoplastic resin casters, 2 with brakes

#### 3 or 4 Wire/1 Solid Shelf Mobile Carts

Stem caster cart with solid bottom shelf. The unique combination of wire and solid shelves allows for air circulation and high visibility. The solid shelf in the bottom position prevents dust and dirt to rise and contains spillage.

Each unit consists of:

- 4 - posts
- 3 or 4 - wire shelves
- 1 - solid shelf
- 4 - donut bumpers
- 4 - 5" thermoplastic resin casters, 2 with brakes

## 1,200 lb. MOBILE LOAD CAPACITY

#### 4 or 5 Solid Shelf Mobile Carts

Stem caster solid shelf cart is an easy way to transport tools and inventories.

Each unit consists of:

- 4 - posts
- 4 or 5 - solid shelves
- 4 - donut bumpers
- 4 - 5" thermoplastic resin casters, 2 with brakes

## CHROME WIRE SHELVES



M1836C46

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, 5" Stem Caster Carts</b>				
18" x 36" x 69"	M1836C46	68 lbs	M1836C46-5	72 lbs
18" x 48" x 69"	M1848C46	76 lbs	M1848C46-5	84 lbs
18" x 60" x 69"	M1860C46	97 lbs	M1860C46-5	107 lbs
24" x 36" x 69"	M2436C46	80 lbs	M2436C46-5	87 lbs
24" x 48" x 69"	M2448C46	94 lbs	M2448C46-5	102 lbs
24" x 60" x 69"	M2460C46	116 lbs	M2460C46-5	127 lbs
<b>74"H - Post, 5" Stem Caster Carts</b>				
18" x 36" x 80"	M1836C47	70 lbs	M1836C47-5	74 lbs
18" x 48" x 80"	M1848C47	78 lbs	M1848C47-5	86 lbs
18" x 60" x 80"	M1860C47	99 lbs	M1860C47-5	109 lbs
24" x 36" x 80"	M2436C47	82 lbs	M2436C47-5	89 lbs
24" x 48" x 80"	M2448C47	96 lbs	M2448C47-5	104 lbs
24" x 60" x 80"	M2460C47	118 lbs	M2460C47-5	129 lbs

## CHROME WIRE AND 18 GAUGE SOLID GALVANIZED STEEL SHELVES



M1836CG46-5

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, 5" Stem Caster Carts</b>				
18" x 36" x 69"	M1836CG46	68 lbs	M1836CG46-5	78 lbs
18" x 48" x 69"	M1848CG46	76 lbs	M1848CG46-5	90 lbs
18" x 60" x 69"	M1860CG46	97 lbs	M1860CG46-5	114 lbs
24" x 36" x 69"	M2436CG46	80 lbs	M2436CG46-5	93 lbs
24" x 48" x 69"	M2448CG46	94 lbs	M2448CG46-5	110 lbs
24" x 60" x 69"	M2460CG46	116 lbs	M2460CG46-5	137 lbs
<b>74"H - Post, 5" Stem Caster Carts</b>				
18" x 36" x 80"	M1836CG47	70 lbs	M1836CG47-5	80 lbs
18" x 48" x 80"	M1848CG47	78 lbs	M1848CG47-5	92 lbs
18" x 60" x 80"	M1860CG47	99 lbs	M1860CG47-5	116 lbs
24" x 36" x 80"	M2436CG47	82 lbs	M2436CG47-5	95 lbs
24" x 48" x 80"	M2448CG47	96 lbs	M2448CG47-5	112 lbs
24" x 60" x 80"	M2460CG47	118 lbs	M2460CG47-5	139 lbs

## 18 GAUGE SOLID GALVANIZED STEEL



M1836SG46

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, 5" Stem Caster Carts</b>				
18" x 36" x 69"	M1836SG46	86 lbs	M1836SG46-5	102 lbs
18" x 48" x 69"	M1848SG46	102 lbs	M1848SG46-5	122 lbs
18" x 60" x 69"	M1860SG46	118 lbs	M1860SG46-5	142 lbs
24" x 36" x 69"	M2436SG46	98 lbs	M2436SG46-5	117 lbs
24" x 48" x 69"	M2448SG46	102 lbs	M2448SG46-5	126 lbs
24" x 60" x 69"	M2460SG46	146 lbs	M2460SG46-5	177 lbs
<b>74"H - Post, 5" Stem Caster Carts</b>				
18" x 36" x 80"	M1836SG47	88 lbs	M1836SG47-5	104 lbs
18" x 48" x 80"	M1848SG47	104 lbs	M1848SG47-5	124 lbs
18" x 60" x 80"	M1860SG47	120 lbs	M1860SG47-5	144 lbs
24" x 36" x 80"	M2436SG47	100 lbs	M2436SG47-5	119 lbs
24" x 48" x 80"	M2448SG47	104 lbs	M2448SG47-5	128 lbs
24" x 60" x 80"	M2460SG47	148 lbs	M2460SG47-5	179 lbs

## Enclosure Carts

Enclosure carts are an effective way to keep contents from moving or falling off during transportation.

Enclosure carts using rods and tabs are adaptable to any shelf position.

Enclosure dolly base truck using rods and tabs allows for heavier load transport. The rods and tabs act as a perimeter to retain product.

For additional shelves, refer to **pg. 98**.

All units consist of:

- 4 - posts
- 4 or 5 - wire shelves
- 4, 5 or 6 - rods and tabs kits

Mobile unit also includes:

- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

Dolly Base unit also includes:

- 1 - dolly base
- 4 - plate thermoplastic resin casters (2 rigid and 2 swivel with brake)

**COMPLETE  
CARTS INCLUDE  
CASTER KIT  
FOR MOBILITY**

**1,200 lb.  
MOBILE LOAD  
CAPACITY**



M1836C46RE



MD1836C46RE-5

## 3 SIDED, 4 OR 5 WIRE SHELF CART WITH RODS AND TABS

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, Cart with Rods and Tabs</b>				
18" x 36" x 69"	M1836C46RE	74 lbs	M1836C46RE-5	84 lbs
18" x 48" x 69"	M1848C46RE	84 lbs	M1848C46RE-5	98 lbs
18" x 60" x 69"	M1860C46RE	100 lbs	M1860C46RE-5	117 lbs
24" x 36" x 69"	M2436C46RE	88 lbs	M2436C46RE-5	101 lbs
24" x 48" x 69"	M2448C46RE	104 lbs	M2448C46RE-5	120 lbs
24" x 60" x 69"	M2460C46RE	124 lbs	M2460C46RE-5	145 lbs
<b>74"H - Post, Cart with Rods and Tabs</b>				
18" x 36" x 80"	M1836C47RE	80 lbs	M1836C47RE-5	90 lbs
18" x 48" x 80"	M1848C47RE	92 lbs	M1848C47RE-5	106 lbs
18" x 60" x 80"	M1860C47RE	104 lbs	M1860C47RE-5	121 lbs
24" x 36" x 80"	M2436C47RE	94 lbs	M2436C47RE-5	107 lbs
24" x 48" x 80"	M2448C47RE	112 lbs	M2448C47RE-5	128 lbs
24" x 60" x 80"	M2460C47RE	132 lbs	M2460C47RE-5	153 lbs

## CHROME WIRE SHELVES

## DOLLY BASE 3 SIDED, 4 OR 5 WIRE SHELF CART WITH RODS AND TABS

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, Dolly Base Carts with Rods and Tabs</b>				
18" x 36" x 70"	MD1836C46RE	86 lbs	MD1836C46RE-5	96 lbs
18" x 48" x 70"	MD1848C46RE	96 lbs	MD1848C46RE-5	110 lbs
18" x 60" x 70"	MD1860C46RE	124 lbs	MD1860C46RE-5	141 lbs
24" x 36" x 70"	MD2436C46RE	113 lbs	MD2436C46RE-5	126 lbs
24" x 48" x 70"	MD2448C46RE	121 lbs	MD2448C46RE-5	137 lbs
24" x 60" x 70"	MD2460C46RE	144 lbs	MD2460C46RE-5	165 lbs
<b>74"H - Post, Dolly Base Carts with Rods and Tabs</b>				
18" x 36" x 81"	MD1836C47RE	92 lbs	MD1836C47RE-5	102 lbs
18" x 48" x 81"	MD1848C47RE	106 lbs	MD1848C47RE-5	120 lbs
18" x 60" x 81"	MD1860C47RE	120 lbs	MD1860C47RE-5	137 lbs
24" x 36" x 81"	MD2436C47RE	108 lbs	MD2436C47RE-5	121 lbs
24" x 48" x 81"	MD2448C47RE	129 lbs	MD2448C47RE-5	145 lbs
24" x 60" x 81"	MD2460C47RE	152 lbs	MD2460C47RE-5	173 lbs

## Rods & Tabs

Rods and tabs represent an economical, alternate solution for enclosure on backs and sides of mobile and stationary units.

Each kit includes:

- 3 - rods
- 9 - front/back tabs
- 9 - side/solid shelf tabs


MODEL NO.	DESCRIPTION	SHIP WGT
<b>Rods &amp; Tabs</b>		
52RT	3 - 52" Rods with Tabs	1 lb
61RT	3 - 61" Rods with Tabs	1 lb
72RT	3 - 72" Rods with Tabs	2 lbs
84RT	3 - 84" Rods with Tabs	2 lbs



QSRT  
Side or Solid  
Shelf Tab



QAT  
Front or Back  
Tab





### 3 SIDED STEM CASTER WIRE SHELF CART WITH 3 OR 4 WIRE SHELVES AND 1 SOLID SHELF WITH RODS AND TABS

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, Cart with Rods and Tabs</b>				
18" x 36" x 69"	M1836CG46RE	83 lbs	M1836CG46RE-5	93 lbs
18" x 48" x 69"	M1848CG46RE	94 lbs	M1848CG46RE-5	108 lbs
18" x 60" x 69"	M1860CG46RE	114 lbs	M1860CG46RE-5	131 lbs
24" x 36" x 69"	M2436CG46RE	96 lbs	M2436CG46RE-5	109 lbs
24" x 48" x 69"	M2448CG46RE	112 lbs	M2448CG46RE-5	128 lbs
24" x 60" x 69"	M2460CG46RE	136 lbs	M2460CG46RE-5	157 lbs
<b>74"H - Post, Cart with Rods and Tabs</b>				
18" x 36" x 80"	M1836CG47RE	89 lbs	M1836CG47RE-5	99 lbs
18" x 48" x 80"	M1848CG47RE	101 lbs	M1848CG47RE-5	115 lbs
18" x 60" x 80"	M1860CG47RE	123 lbs	M1860CG47RE-5	140 lbs
24" x 36" x 80"	M2436CG47RE	102 lbs	M2436CG47RE-5	115 lbs
24" x 48" x 80"	M2448CG47RE	119 lbs	M2448CG47RE-5	135 lbs
24" x 60" x 80"	M2460CG47RE	144 lbs	M2460CG47RE-5	166 lbs

## CHROME WIRE AND 18 GAUGE SOLID GALVANIZED STEEL SHELVES

### DOLLY BASE 3 SIDED WIRE SHELF CART WITH 3 OR 4 WIRE SHELVES AND 1 SOLID SHELF WITH RODS AND TABS

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, Dolly Base Carts with Rods and Tabs</b>				
18" x 36" x 70"	MD1836CG46RE	93 lbs	MD1836CG46RE-5	102 lbs
18" x 48" x 70"	MD1848CG46RE	106 lbs	MD1848CG46RE-5	116 lbs
18" x 60" x 70"	MD1860CG46RE	128 lbs	MD1860CG46RE-5	147 lbs
24" x 36" x 70"	MD2436CG46RE	109 lbs	MD2436CG46RE-5	132 lbs
24" x 48" x 70"	MD2448CG46RE	127 lbs	MD2448CG46RE-5	145 lbs
24" x 60" x 70"	MD2460CG46RE	154 lbs	MD2460CG46RE-5	175 lbs
<b>74"H - Post, Dolly Base Carts with Rods and Tabs</b>				
18" x 36" x 81"	MD1836CG47RE	99 lbs	MD1836CG47RE-5	108 lbs
18" x 48" x 81"	MD1848CG47RE	113 lbs	MD1848CG47RE-5	126 lbs
18" x 60" x 81"	MD1860CG47RE	137 lbs	MD1860CG47RE-5	143 lbs
24" x 36" x 81"	MD2436CG47RE	115 lbs	MD2436CG47RE-5	127 lbs
24" x 48" x 81"	MD2448CG47RE	134 lbs	MD2448CG47RE-5	153 lbs
24" x 60" x 81"	MD2460CG47RE	163 lbs	MD2460CG47RE-5	183 lbs



WHITE NYLON



BLUE NYLON



CLEAR VINYL

**CART COVERS**  
Protect against pilferage, airborne dust, moisture, and other contaminants



M1836CG46RE



MD1836CG46RE-5

#### Enclosure Carts

Enclosure carts are an effective way to keep contents from moving or falling off during transportation.

Enclosure carts using rods and tabs are adaptable to any shelf position.

Enclosure dolly base truck using rods and tabs allows for heavier load transport. The rods and tabs act as a perimeter to retain product.

For additional shelves, refer to **pg. 98**.

*All units consist of:*

- 4 - posts
- 3 or 4 - wire shelves
- 1 - solid shelf
- 4, 5 or 6 - rods and tabs kits

*Mobile unit also includes:*

- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

*Dolly Base unit also includes:*

- 1 - dolly base
- 4 - plate thermoplastic resin casters (2 rigid and 2 swivel with brake)

**COMPLETE  
CARTS INCLUDE  
CASTER KIT  
FOR MOBILITY**

**1,200 lb.  
MOBILE LOAD  
CAPACITY**

**NYLON FABRIC  
OR CLEAR VINYL  
CART COVERS  
AVAILABLE**

See **pg. 136**

**Enclosure Carts**

**Finish:** Chrome

Each unit consists of:

- 4 - posts
- 4 or 5 - wire shelves
- 4 - enclosure panels
- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

**NYLON FABRIC OR CLEAR VINYL CART COVERS AVAILABLE**

See pg. 136



**BLUE NYLON CART COVER**

Protect against pilferage, airborne dust, moisture and other contaminants

All units consist of:

- 4 - posts
- 3 or 4 - wire shelves
- 1 - solid shelf
- 4 or 5 - enclosure panels

Mobile unit also includes:

- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

Dolly Base unit also includes:

- 1 - dolly base
- 4 - plate thermoplastic resin casters (2 rigid and 2 swivel with brake)



**M2436C46E**



**WRCS4-63-2460EP-5**



**WRDBS4-63-2460EP**

# CHROME WIRE SHELVES

**3 SIDED, 4 OR 5 WIRE SHELF CART WITH ENCLOSURE PANELS**

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, Cart with Enclosure Panels</b>				
24" x 36" x 69"	M2436C46E	145 lbs	M2436C46E-5	158 lbs
24" x 48" x 69"	M2448C46E	179 lbs	M2448C46E-5	195 lbs
24" x 60" x 69"	M2460C46E	197 lbs	M2460C46E-5	218 lbs

**COMPLETE CARTS INCLUDE CASTER KIT FOR MOBILITY**

**1,200 lb. MOBILE LOAD CAPACITY**

**3 SIDED STEM CASTER ENCLOSURE CART WITH 3 OR 4 WIRE SHELVES AND 1 SOLID SHELF WITH ENCLOSURE PANELS**

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, Cart with Solid Bottom Shelf and Enclosure Panels</b>				
24" x 36" x 69"	WRCS4-63-2436EP	113 lbs	WRCS4-63-2436EP-5	126 lbs
24" x 48" x 69"	WRCS4-63-2448EP	131 lbs	WRCS4-63-2448EP-5	147 lbs
24" x 60" x 69"	WRCS4-63-2460EP	158 lbs	WRCS4-63-2460EP-5	179 lbs
<b>74"H - Post, Cart with Solid Bottom Shelf and Enclosure Panels</b>				
24" x 36" x 80"	WRCS4-74-2436EP	113 lbs	WRCS4-74-2436EP-5	126 lbs
24" x 48" x 80"	WRCS4-74-2448EP	131 lbs	WRCS4-74-2448EP-5	147 lbs
24" x 60" x 80"	WRCS4-74-2460EP	158 lbs	WRCS4-74-2460EP-5	179 lbs

# CHROME WIRE AND 18 GAUGE SOLID GALVANIZED STEEL SHELVES

**3 SIDED DOLLY BASE ENCLOSURE CART WITH 3 OR 4 WIRE SHELVES AND 1 SOLID SHELF WITH ENCLOSURE PANELS**

DIMENSIONS W" x L" x H"	4 SHELF CARTS		5 SHELF CARTS	
	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
<b>63"H - Post, Dolly Base Cart with Solid Bottom Shelf and Enclosure Panels</b>				
24" x 36" x 70"	WRDBS4-63-2436EP	124 lbs	WRDBS4-63-2436EP-5	137 lbs
24" x 48" x 70"	WRDBS4-63-2448EP	142 lbs	WRDBS4-63-2448EP-5	158 lbs
24" x 60" x 70"	WRDBS4-63-2460EP	169 lbs	WRDBS4-63-2460EP-5	190 lbs
<b>74"H - Post, Dolly Base Cart with Solid Bottom Shelf and Enclosure Panels</b>				
24" x 36" x 81"	WRDBS4-74-2436EP	124 lbs	WRDBS4-74-2436EP-5	137 lbs
24" x 48" x 81"	WRDBS4-74-2448EP	142 lbs	WRDBS4-74-2448EP-5	158 lbs
24" x 60" x 81"	WRDBS4-74-2460EP	169 lbs	WRDBS4-74-2460EP-5	190 lbs



## Security Units

Stationary and Mobile Units prevent pilferage while allowing high visibility of contents at all times. All side and back panels are heavy gauge wire construction and are manufactured of all-welded heavy-duty 1/4" diameter wire on 2" x 2" centers. Assembly is quick and easy. **Finish:** Chrome and Proform Green Epoxy

### WANT TO SECURE YOUR EXISTING SHELVING UNITS?



Thick wire gauge ensures strong and dependable security yet easy visibility



2436-63SEC

## Security Panel Doors

Each door set has left and right panel with 4 hinge bars. Assembly is quick and easy and adapts to the appropriate shelf size, with standard post of 63" high.

CHROME	GREEN EPOXY	NEW FINISH	
MODEL NO.	MODEL NO. (NEW)	DIMENSIONS L" x H"	SHIP WGT
Security Panel Door Set with Hinges			
SD36C	SD36P	36" x 60"	54 lbs
SD48C	SD48P	48" x 60"	66 lbs
SD60C	SD60P	60" x 60"	78 lbs



**DOOR TOP SECURITY**  
Channel reinforced door frame with heavy-duty top hinge pin



**DOOR MIDDLE SECURITY**  
Channel reinforced door frame with middle clasp for lock (Sold separately)



**DOOR BOTTOM SECURITY**  
Channel reinforced door frame with heavy-duty bottom hinge pin



M2436-69SEC



MD2436-70SEC

**NYLON FABRIC OR CLEAR VINYL UNIT COVERS AVAILABLE FOR ALL SECURITY UNITS** See pg. 140

**1,200 lb.**  
**MOBILE LOAD CAPACITY**

## Stationary Security Units

Intermediate shelves can be purchased separately, see **pg. 98**. **Finish:** Chrome and Proform Green Epoxy

Each unit consists of:

- 4 - posts
- 2 - wire shelves (for top and bottom)
- 1 - security panel set (includes back and sides)
- 1 - pair security panel doors

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Stationary Security Units		
2436-63SEC	24" x 36" x 63"	165 lbs
2448-63SEC	24" x 48" x 63"	192 lbs
2460-63SEC	24" x 60" x 63"	224 lbs

**ADD SUFFIX "P" TO MODEL NO. TO ORDER GREEN EPOXY FINISH**

Ex. 2436-63SECP

## Stem Caster Security Carts

Mobility adds flexibility to a unit and is beneficial in all types of operations. Intermediate shelves can be purchased separately, see **pg. 98**. **Finish:** Chrome and Proform Green Epoxy

Each unit consists of:

- 4 - posts
- 2 - wire shelves (for top and bottom)
- 1 - security panel set (includes back and sides)
- 1 - pair security panel doors
- 4 - 5" thermoplastic resin casters, 2 with brake
- 4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Stem Caster Security Carts		
M2436-69SEC	24" x 36" x 69"	173 lbs
M2448-69SEC	24" x 48" x 69"	200 lbs
M2460-69SEC	24" x 60" x 69"	232 lbs

## Dolly Base Security Carts

Dollies can add stability and support in heavy-duty load applications. Intermediate shelves can be purchased separately, see **pg. 98**. **Finish:** Chrome and Proform Green Epoxy

Each unit consists of:

- 4 - posts
- 2 - wire shelves (for top and bottom)
- 1 - security panel set (includes back and sides)
- 1 - pair security panel doors
- 1 - dolly base
- 4 - plate thermoplastic resin casters (2 rigid and 2 swivel with brake)

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Dolly Base Security Carts		
MD2436-70SEC	24" x 36" x 70"	186 lbs
MD2448-70SEC	24" x 48" x 70"	215 lbs
MD2460-70SEC	24" x 60" x 70"	250 lbs